


THE
BOWCO
STEP




THE BOWCO STEP

BOWCO's innovative step design works in most applications or a step can be custom designed to meet your specific needs. Half inch, grade 60, steel reinforcing bar is completely sealed with Copolymer Polypropylene plastic creating a step with maximum strength, durability and safety.


A new standard for quality, safety and reliability in manhole and utility vault steps has been achieved by The BOWCO Step. Designed from the inside out for the specific needs of the end user: Engineers, specifiers, maintenance personnel, community officials, precasters, and construction contractors.



Strict manufacturing controls ensure that quality and safety are built into every BOWCO step.



The BOWCO Step is manufactured using a state of the art computer controlled injection molding system.



Constructed with top quality plastic and high grade steel, the BOWCO Step provides unsurpassed strength and durability.

SAFETY FEATURES

The BOWCO Step features the industry's most comprehensive safety designs.

- Cone shaped tread for better penetration into dirt and mud, which may collect on soles of shoes, providing excellent grip in all environments.
- Extra tall and extra long foot safe end lugs provide added assurance of better footing.
- The first bright safety orange step on the market for improved visibility in dark vaults or manholes.

Also available in standard black.

DESIGN ADVANTAGES

Combining extensive experience, quality raw materials and state of the art equipment make BOWCO Steps truly superior.

- Copolymer Polypropylene coating resists all types of corrosive environments found in a sanitary sewer system.
- Copolymer Polypropylene coating provides non-spark insulated finish for electrical and other utility vault applications.
- The BOWCO Step is easily driven into the concrete wall of a vault or manhole with a rubber or steel mallet.

SUPERIOR SERVICES

The staff and owners of BOWCO Industries are committed to providing outstanding services.

- Doing whatever is needed to meet customer needs, from completely redesigning a step to special shipping arrangements.
- Customer service at BOWCO is an attitude, founded on the idea that securing long term business is more important than profiting today.

ASTM

Standard sizes meet requirements of ASTM C-478, C-497, D-4101 and A-615.

- Independent tests show that when The BOWCO Step is properly installed, it resists pull-out pressure of over 1,500 pounds.

OSHA

Conforms to U.S. Department of Labor and Industry Occupational Safety and Health standards for manhole steps.

AASHTO

Meets requirements of AASHTO M-199.

ASSOCIATE MEMBERSHIP

National Precast Concrete Association




Our representatives and staff are available should you need assistance.

We welcome the opportunity to discuss your specific project requirements. Please telephone or write for further information.




STYLES OFFERED


Available in these and other styles and various sizes to fit the dimensional requirements of the different locales.




PRESS FIT




PRESS FIT - R




PRESS FIT - B




DRIVE IN - DI




OVERSIZE
PRESS FIT - SL



OVERSIZE
PRESS FIT - SLR



SQUARE END -
TL



GRAB BAR - GB

Quality craftsmanship and unsurpassed reliability are built into every product that carries the BOWCO name.

Related products:

- Sizing pins - for dry cast manholes.
- Sockets - for drive in and square end steps.

Other products:

- Duct terminators - for utility vaults and structures.
- Couplings - for grease traps, septic tanks and distribution boxes.



5486 S.E. INTERNATIONAL WAY PORTLAND, OR 97222
(503) 653-9405 (888) 232-9991 FAX (503) 653-8934